



HRB 35-412



Chemical-Technological Laboratory

CTL® GmbH Bielefeld

Chemical-Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, Germany

Telephone: +49 521 400 82 89 0

Telefax: +49 521 400 82 89 29

www.ctl-bielefeld.de E-mail: info@ctl-bielefeld.de

CTL® GmbH Bielefeld, Chemical-Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, Germany

CERTIFICATE

I MAX International SRL
Via Emilia 41 – Po. Box 240
47838 Riccone Rn
ITALYYOUR REFERENCE: Mr Grassi
YOUR LETTER DATED: 22nd October 2008
ARRIVAL DATE CTL: 05th November 2008
DATE: 10th December 2008
CTL NO: 58447/5.7
SAMPLE: UNIVERSAL BLACK TATTOO INK COLOR
COLOUR: UNI-ULTRA BLACK

www.ctl-tattoo.eu

PART 1a
Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties
according to EU Resolution ResAP(2008)1

AMOUNT	UNIT	AMINE	EC-NO.	CAS-NO.
---		Biphenyl-4-ylamine	202-177-1	92-67-1
---		Benzidine	202-199-1	92-87-5
---		4-Chloro-o-toluidine	202-411-6	95-69-2
---		2-Naphthylamine	202-080-4	91-59-8
---		o-Aminoazotoluene	202-591-2	97-56-3
---		5-Nitro-o-toluidine	202-765-8	99-55-8
---		4-Chloroaniline	203-401-0	106-47-8
---		4-Methoxy-m-phenylenediamine	210-406-1	615-05-4
---		4,4'-Methylenedianiline	202-974-4	101-77-9
---		3,3'-Dichlorobenzidine	202-109-0	91-94-1
---		3,3'-Dimethoxybenzidine	204-355-4	119-90-4
---		3,3'-Dimethylbenzidine	204-358-0	119-93-7
---		4,4'-Methylenedi-o-toluidine	212-658-8	838-88-0
---		6-Methoxy-m-toluidine	204-419-1	120-71-8
---		4,4'-Methylenebis-(2-chloroaniline)	202-918-9	101-14-4
---		4-Methyl-m-phenylenediamine	202-453-1	95-80-7
---		o-Anisidine	201-963-1	90-04-0
---		4-Aminoazobenzene	200-453-6	60-09-3
---		6-Amino-2-ethoxynaphthalene	---	293733-21-8
---		4-Amino-3-fluorophenol	418-230-9	399-95-1

(---) = below detection limit; The investigation was carried out using GC/MS and HPLC according to § 64 LFGB, B 82.02-2, 3, 4 and 9 in the up-to-date legislation.
The detection limit is 1 ppm. The legal limit is 30 ppm.**PART 1b**
Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission
and mentioned in the Council Directive 1967/548/EEC of 27 June 1967
according to EU Resolution ResAP(2008)1

AMOUNT	UNIT	AMINE	EC-NO.	CAS-NO.
---		4,4'-Oxydianiline	202-977-0	101-80-4
---		4,4'-Thiodianiline	205-370-9	139-65-1
---		o-Toluidine	202-429-0	95-53-4
---		2,4,5-Trimethylaniline	205-282-0	137-17-7
---		Para-phenylenediamine	2003-404-7	106-50-3
---		2,4 Xylidine	---	95-68-1
---		2,6 Xylidine	---	87-62-7

(---) = below detection limit; The investigation was carried out using GC/MS and HPLC according to § 64 LFGB, B 82.02-2, 3, 4 and 9 in the up-to-date legislation.
The detection limit is 1 ppm.BIELEFELD, 10TH DECEMBER 2008

Dr. rer. nat. G. Prior

page 1/1

The denoted results are only valid for the tested sample.

Without our written consent no single part of this report is allowed to be forwarded to third parties.



HRB 35-412



www.ctl-bielefeld.de

CTL® GmbH Bielefeld

Chemical-Technological Laboratory

Krackserstrasse 12, 33659, Bielefeld, Germany

Telephone: +49 521 400 82 89 0

Telefax: +49 521 400 82 89 29

www.ctl-bielefeld.de E-mail: info@ctl-bielefeld.de

CTL® GmbH Bielefeld, Chemical-Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, Germany**CERTIFICATE**I MAX International SRL
Via Emilia 41 – Po. Box 240
47838 Riccone Rn
ITALY

YOUR REFERENCE: Mr Grassi
 YOUR LETTER DATED: 22nd October 2008
 ARRIVAL DATE CTL: 05th November 2008
 DATE: 10th December 2008
 CTL NO: 58447/5.7
 SAMPLE: UNIVERSAL BLACK TATTOO INK COLOR
 COLOUR: UNI-ULTRA BLACK

www.ctl-tattoo.eu

PART 2
Investigation of Dyestuffs according to EU Resolution ResAP(2008)1

AMOUNT	UNIT	COLOURANT	CI-NO.	CAS-NO.
---		Acid Green 16	44025	12768-78-4
---		Acid Red 26	16150	3761-53-3
---		Acid Violet 17	42650	4129-84-4
---		Acid Violet 49	42640	1694-09-3
---		Acid Yellow 36	13065	587-98-4
---		Basic Blue 7	42595	2390-60-5
---		Basic Green 1	42040	633-03-4
---		Basic Red 1	45160	989-38-8
---		Basic Red 9	42500	569-61-9
---		Basic Violet 1	42535	8004-87-3
---		Basic Violet 10	45170	81-88-9
---		Basic Violet 3	42555	548-62-9
---		Disperse Blue 1	64500	2475-45-8
---		Disperse Blue 106		12223-01-7
---		Disperse Blue 124		61951-51-7
---		Disperse Blue 3	61505	2475-46-9
---		Disperse Blue 35		12222-75-2
---		Disperse Orange 3	11005	730-40-5
---		Disperse Orange 37		12223-33-5
---		Disperse Red 1	11110	2872-52-8
---		Disperse Red 17	11210	3179-89-3
---		Disperse Yellow 3	11855	2832-40-8
---		Disperse Yellow 9	10375	6373-73-5
---		Pigment Orange 5	12075	3468-63-1
---		Pigment Red 53	15585	2092-56-0
---		Pigment Violet 3	42535:2	1325-82-2
---		Pigment Violet 39	42555:2	64070-98-0
---		Solvent Blue 35	61554	17354-14-2
---		Solvent Orange 7	12140	3118-97-6
---		Solvent Red 24	26105	85-83-6
---		Solvent Red 49	45170:1	509-34-2
---		Solvent Violet 9	42555:1	467-63-0
---		Solvent Yellow 1	11000	60-09-3
---		Solvent Yellow 2	11020	60-11-7
---		Solvent Yellow 3	11160	97-56-3

(---) = below detection limit. The investigation was carried out using TLC, HPLC, GC/MS according to DIN 54231 in the up-to-date legislation.
 The detection limit is 5 mg/L.

BIELEFELD, 10TH DECEMBER 2008

Dr. rer. nat. G. Prior

page 1/1

The denoted results are only valid for the tested sample.
 Without our written consent no single part of this report is allowed to be forwarded to third parties.



HRB 35-412



Chemical-Technological Laboratory

CTL® GmbH Bielefeld

Chemical-Technological Laboratory

Krackserstrasse 12, 33659, Bielefeld, Germany

Telephone: +49 521 400 82 89 0

Telefax: +49 521 400 82 89 29

www.ctl-bielefeld.de E-mail: info@ctl-bielefeld.de

CTL® GmbH Bielefeld, Chemical Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, GermanyI MAX International SRL
Via Emilia 41 – Po. Box 240
47838 Riccone Rn
ITALY

CERTIFICATE

YOUR REFERENCE: Mr Grassi
YOUR LETTER DATED: 22nd October 2008
ARRIVAL DATE CTL: 05th November 2008
DATE: 10th December 2008
CTL NO: 58447/5.7
SAMPLE: UNIVERSAL BLACK TATTOO INK COLOR
COLOUR: UNI-ULTRA BLACK

www.ctl-tattoo.eu

PART 3
Investigation of Heavy Metals according to EU Resolution ResAP(2008)1

AMOUNT	UNIT	ELEMENT OR COMPOUND	limit (ppm)
---		Arsenic (As)	2
---		Barium (Ba)	50
---		Cadmium (Cd)	0.2
---		Cobalt (Co)	25
---		Chromium (Cr), VI	0.2
---		Copper (Cu), soluble	25
---		Mercury (Hg)	0.2
---		Nickel (Ni)	As low as technically achievable
---		Lead (Pb)	2
---		Selenium (Se)	2
---		Antimony (Sb)	2
---		Tin (Sn)	50
---		Zinc (Zn)	50

(---) = below detection limit (0.01 ppm). The investigation was carried out using acidic perspiration solution according to DIN 38406-E29 in the up-to-date legislation.

BIELEFELD, 10TH DECEMBER 2008
Dr. rer. nat. G. Prior

The denoted results are only valid for the tested sample.

Without our written consent no single part of this report is allowed to be forwarded to third parties.



HRB 35-412



Chemical-Technological Laboratory

CTL® GmbH Bielefeld

Chemical-Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, Germany

Telephone: +49 521 400 82 89 0

Telefax: +49 521 400 82 89 29

www.ctl-bielefeld.de E-mail: info@ctl-bielefeld.de

CTL GmbH Bielefeld, Chemical-Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, GermanyI MAX International SRL
Via Emilia 41 – Po. Box 240
47838 Riccone Rn
ITALY

CERTIFICATE

YOUR REFERENCE: Mr Grassi
 YOUR LETTER DATED: 12th December 2008
 ARRIVAL DATE CTL: 15th December 2008
 DATE: 07th January 2009
 CTL NO: 58447/5.7 + 58970
 SAMPLE: UNIVERSAL BLACK TATTOO INK COLOR
 COLOUR: UNI-ULTRA BLACK

www.ctl-tattoo.eu

PART 4
Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzene-a-pyrene (BaP)
according to ResAP(2008)1

AMOUNT	UNIT	ELEMENT OR COMPOUND
0.023	ppm	Naphthalene
---		Acenaphthylene
0.023	ppm	Acenaphthene
---		Fluorene
---		Phenanthrene
---		Anthracene
---		Fluoranthene
---		Pyrene
---		Benz(a)anthracene
---		Chrysene
---		Benzo(b)fluoranthene
---		Benzo(k)fluoranthene
---		Dibenzo(a,h)anthracene
---		Indo (1,2,3-cd)pyrene
---		Benzo(g,h,i)perylene
---		Benzene-a-pyrene (BaP)

(---) = below detection limit. Method acc. to EPA, ZEK 2008-01.

Detection limit: PAH 0.05 ppm as total, Benz-a-pyrene 0.5 ppb. Limit: PAH 0.5 ppm as total, Benz-a-pyrene 5 ppb

Result as total: 0.046 ppm

BIELEFELD, 07TH JANUARY 2009

Dr. rer. nat. G. Prior

page 1/1

The denoted results are only valid for the tested sample.



HRB 35-412



Chemical-Technological Laboratory

CTL® GmbH Bielefeld

Chemical-Technological Laboratory

Krackserstrasse 12, 33659, Bielefeld, Germany

Telephone: +49 521 400 82 89 0

Telefax: +49 521 400 82 89 29

www.ctl-bielefeld.de E-mail: info@ctl-bielefeld.de

CTL® GmbH Bielefeld, Chemical Technological Laboratory
Krackserstrasse 12, 33659, Bielefeld, Germany

I MAX International SRL
Via Emilia 41 – Po. Box 240
47838 Riccone Rn
ITALY

CERTIFICATE

YOUR REFERENCE: Mr Grassi
YOUR LETTER DATED: 22nd October 2008
ARRIVAL DATE CTL: 05th November 2008
DATE: 10th December 2008
CTL NO: 58447/5.7
SAMPLE: UNIVERSAL BLACK TATTOO INK COLOR
COLOUR: UNI-ULTRA BLACK
tested on a single representative sample

www.ctl-tattoo.eu

PART 5

Investigation of Sterility
microbiological test: pseudomonads = King A, King B, Oxidase test
according to ResAP(2008)1

Detection limit: $< 1,0 \times 10^1$ KBE/g

Result: not detectable

BIELEFELD, 10TH DECEMBER 2008

Dr. rer. nat. G. Prior

The denoted results are only valid for the tested sample